

Elbows



Cat. No. 1623

Patient Elbow Adaptor

- 15mm O.D. x 15mm I.D./ 22mm O.D.
- 50 per case



Cat. No. 1641

Elbow Adaptor

- Standard 22mm I.D. x 22mm O.D.
- 50 per case



Cat. No. 18903

Reusable Patient Elbow

- 15mm O.D. x 15mm I.D./ 22mm O.D.
- Polycarbonate
- 5 per case



Cat. No. 1078

Ventilator Adaptor

- Right-angle adaptor with a capped suction port
- 15mm I.D. x 22mm O.D.
- 50 per case



Cat. No. 1673

Ported Elbow Adaptor

- Standard 22mm I.D./22mm O.D. connections
- Accepts most temperature probes
- 50 per case



Cat. No. 1624

Gas Sampling Elbow

- 15mm O.D. x 15mm I.D./ 22mm O.D.
- Female luer lock connection swivels 360°
- 50 per case



Cat. No. 1632

Norman Mask Elbow

- 15mm O.D. x 15mm I.D./ 22mm O.D.
- Elbow accepts 5-7mm I.D. tubing, swivels 360°
- 50 per case

*Hudson RCI offers an extensive line of **Adaptors and Connectors** including elbows, wyes, tees, and much more in a wide range of sizes and designs, to address your respiratory and anesthesia needs.*

Wyes



Cat. No. 1660

Universal Wye Connector

- 22mm O.D. tubing connections
- 15mm I.D./22mm O.D. patient connection
- Airway pressure and temperature monitoring ports
- 50 per case



Cat. No. 1662

Wye Connector

- Same as Cat. No. 1660 but without temperature and pressure monitoring ports
- 50 per case



Cat. No. 1674

Adult Near Parallel Wye

- 22mm O.D. tubing connections
- 15mm I.D./22mm O.D. patient connection
- No ports
- 50 per case



Cat. No. 1675

Adult Near Parallel Wye

- Temperature Monitoring Port
- 22mm O.D. tubing connections
- 15mm I.D./22mm O.D. patient connection
- 50 per case



Cat. No. 18902

Reusable Wye

- 22mm O.D. tubing connections
- 15mm/22mm O.D. patient connection
- 5 per case

Cat. No. 1661

Wye Connector

- Same as Cat. No. 1660 but without pressure monitoring port
- 50 per case


Adaptors and Connectors



Cat. No. 1421

Universal Cuff Adaptor

- Standard 22mm I.D. connections
- 50 per case



Cat. No. 1422

Multi Adaptor

- Standard 15mm I.D./22mm O.D. connections
- 50 per case



Cat. No. 1678

22mm ISO Cuff Adaptor

- 22mm I.D. x 22mm O.D.
- 50 per case



Cat. No. 1640

Tubing Adaptor

- Standard 22mm O.D. x 22mm I.D.
- 50 per case



Cat. No. 1409

Large Tubing Connector

- Standard 22mm O.D. x 22mm O.D. connections
- 50 per case



Cat. No. 1663

Soft Cuff Adaptor

- Approximately 21mm I.D. x 19mm I.D.
- Made of flexible material
- 50 per case



Cat. No. 1645

Thermometer Adaptor

- Standard 22mm O.D. x 22mm I.D. connections
- Port accepts temperature probes and thermometers
- 50 per case



Cat. No. 380-74

Adult Probe Adaptor

- Standard 22mm O.D. x 22mm I.D. connections
- Port accepts CONCHA temperature probes
- 24 per case



Cat. No. 1642

Pressure Line Adaptor

- 22mm O.D. x 22mm I.D. connections
- Elbow swivels 360°
- 50 per case



Cat. No. 9059

Adaptor with O₂ Port

- Standard 22mm O.D. x 22mm I.D. connections
- Capped port
- 250 per case



Cat. No. 1420

Tubing Connector

- Couples oxygen supply tubing utilizing 5 to 7mm end connectors
- 50 to a case



Cat. No. 1423

Tubing Adaptor

- 22mm I.D. x 5-7mm tapered nipple
- Can be used with Cat. No. 1075 trach mask
- 50 to a case



Cat. No. 1669

Monitoring Adaptor

- 15mm O.D. x 15mm I.D./22mm O.D. connections
- Standard luer fitting
- Can be used with Lifesaver resuscitation bags
- 50 per case



Cat. No. 1768

Step-Down Adaptor

- 15mm O.D. x 22mm O.D.
- 25 per case



Cat. No. 1769

Step-Down Adaptor

- 15mm O.D. x 22mm I.D.
- 25 per case




Cat. No. 2555

Nipple and Nut Adaptor

- Hose adaptor for standard D.I.S.S. oxygen outlets
- 50 per case

Adaptors & Miscellaneous

Temperature Monitoring



Cat. No. 1635

Thermometer

- Clear housing with alcohol based red liquid column
- Fahrenheit and Celsius scales from 50 to 120° and 10 to 50°, respectively
- 50 per case



Cat. No. 1637

Thermometer with Tee Adaptor

- Combines Cat. No. 1635 thermometer and Cat. No. 1648 aerosol tee connector
- 50 per case



Cat. No. 1647

Thermometer and Thermometer Adaptor

- Combines Cat. No. 1635 thermometer and Cat. No. 1645 aerosol tee
- 50 per case



Cat. No. 390-45

AQUAPAK 37 In-Line Temperature Indicator (°C)

- 22mm I.D. x 22mm O.D. connections
- 10 per case


One-Way Valves



Cat. No. 1664

One-Way Valve

- Low flow resistance 22mm O.D. to 22mm I.D.
- 50 per case



Cat. No. 1665

One-Way Valve

- Low flow resistance 22mm I.D. to 22mm O.D.
- 50 per case



Cat. No. 1666

Unidirectional Valved Tee

- Assembled tee and two one-way valves allow gas to flow in only one direction
- 50 per case



Cat. No. 1644

One-Way Valve

- Standard 22mm O.D. x 22mm I.D. connections
- Valve offers low flow resistance
- Capped monitoring port
- 50 per case



Cat. No. 1180

Isolation Valve

- 22mm I.D. x 22mm O.D. / 15mm I.D. connections
- 10 per case

Cat. No. 1181

Filtered Isolation Valve

- Same as 1180 but with pathogen filter
- See kits on page 65

Water Traps



Cat. No. 1650

Water Trap

- 70cc capacity
- 22mm O.D. x 22mm O.D. tubing connectors
- Self-sealing lid to ensure circuit patency
- 50 per case



Cat. No. 1658

Neonatal Water Trap

- 20-30cc capacity
- Self-sealing lid to ensure circuit patency
- 50 per case



Cat. No. 1679

O₂ Tubing Water Trap

- Collects moisture that can accumulate in O₂ tubing
- Accepts all standard and crush-resistant oxygen supply tubing
- Approximately 8 inches long, 1 inch diameter
- 10 per case


Tees



Cat. No. 1648

Aerosol Tee Connector

- 22mm O.D. x 15mm I.D./ 22mm O.D. x 22mm O.D.
- 50 per case



Cat. No. 1077

Aerosol Tee Connector

- Anti-spill design minimizes aspiration of liquids
- 22mm O.D. x 15mm I.D./ 22mm O.D. x 22mm O.D.
- 50 per case



Cat. No. 1638

Nebulizer Tee Connector

- 22mm O.D. x 18mm I.D./ 22mm O.D. x 22mm O.D.
- Port accepts most small volume nebulizers
- 50 per case



Cat. No. 1639

Nebulizer Tee Connector

- 22mm O.D. x 18mm I.D. x 22mm I.D. connections
- Port accepts most small volume nebulizers
- 50 per case

Adaptors & Miscellaneous

Valved Tees



Cat. No. 1743

Valved Neb Tee

- 22mm O.D. x 18mm I.D. x 22mm I.D. connections
- Tee may be left in-line when nebulizer is removed
- Port accepts most small volume nebulizers
- 30 per case



Cat. No. 1744

Valved Neb Tee


- 22mm O.D. x 18mm I.D. x 22mm O.D. connections
- Tee may be left in-line when nebulizer is removed
- Port accepts most small volume nebulizers
- 30 per case



Cat. No. 1659

MDI Adaptor

- 22mm O.D. x 22mm I.D. connections for in-line placement in 22mm tubing
- 50 per case



Cat. No. 1751

MDI Adaptor

- 15mm O.D. x 15mm I.D. connections for in-line placement in 15mm tubing
- 50 per case

The Hudson RCI Metered Dose Inhaler Adaptors are designed for placement at the patient wye.

- Adaptors fit most MDI cannisters and ventilator circuits
- Arrow allows clinician to direct aerosolized medication toward patient, or away from patient for a reservoir effect

Neonatal Adaptors



Cat. No. 1763

Neonatal Probe Adaptor

- Standard 10mm O.D. connections
- Accepts most probes and thermometers
- 50 per case



Cat. No. 1402

Drive Line Adaptor

- .152 in. O.D. connection
- .092 in. I.D. connection
- 100 per case



Cat. No. 1764

Neonatal Adaptor

- 10mm O.D. x 7.5mm O.D.
- For use when requiring a connection between 10mm I.D. and 7.5mm I.D. orifices
- 100 per case



Cat. No. 1766

Neonatal Pressure Line Tee

- For connecting 1/8 in. I.D. tubing to 3/16 in. pressure line
- 100 per case



Cat. No. 1765

Neonatal Pressure Line Tee

- For connecting 1/8 in. I.D. tubing to 1/8 in. pressure line
- 100 per case

CONCHATHERM® Adaptors



Cat. No. 384-00

CONCHATHERM Tubing Adaptor


- Tapered fitting up to 7mm
- 15.5mm I.D. / 19mm O.D.
- Designed to be used with CONCHA heated humidifier
- 30 per case



Cat. No. 384-10

CONCHATHERM Hose Adaptor

- 5/16-in barbed fitting
- 15.5mm I.D. / 19mm O.D.
- Designed to be used with CONCHA heated humidifier
- 30 per case



Cat. No. 384-26

CONCHATHERM Oxygen Diluter

- Adjustable 26% to 90%
- When used with CONCHA humidifier, allows delivery of specific oxygen concentrations
- 30 per case




Cat. No. 388-28

CONCHATHERM Nebulizer Adaptor

- Adjustable 28% to 90%
- When used with CONCHA humidifier, allows delivery of heated aerosol at specific oxygen concentrations
- 30 per case


Miscellaneous



Cat. No. 5614

Pressure Line Kit

- 7 ft. pressure line with luer-lock connectors for connecting VENTILARM® II monitor to ventilator circuit
- Standard 22mm I.D. x 22mm O.D. adaptor
- 50 per case



Cat. No. 5612

In-Line Filter

- Prevents moisture from entering VENTILARM II monitor
- 10 per case



Cat. No. 1668

Trachee Tee Oxygenator

- Allows administration of oxygen to endotracheal or tracheostomy tubes
- Includes oxygen nipple adaptor, aerosol tee, and 6-in. CORR-A-FLEX tube
- 50 per case



Cat. No. 1667

Ventilator Monitoring Adaptor Circuit

- Allows monitoring of ventilatory weaning parameters in intubated patients
- 50 per case

Ventilator monitoring adaptor circuit kit includes oxygen nipple adaptor, aerosol tee, 6-inch CORR-A-FLEX tube, 15mm/22mm adaptor, m/m one-way valve and m/f one-way valve



Cat. No. 1565

Mouthpiece

- Standard mouthpiece with 15mm/22mm O.D. connection
- 50 per case



Cat. No. 1643

Exhalation Valve

- Includes drive line and hanger
- 50 per case



Cat. No. 1792

Neonatal Adaptor Kit

- Includes 18mm nebulizer adaptor, neonatal tee and 12-inch 10mm corrugated tubing
- 50 per case



VENTI-COMP®

Cat. No. 1550

- A disposable, accurate system for computing tidal volume and minute volume
- VENTI-COMP's versatile adaptor allows unit to be connected to most expiratory ports
- Accurately and reliably measures and / or evaluates the effectiveness of an I.P.P.B. treatment
- Designed to be simple and easy to use—requires no special technical knowledge or training
- Precise and accurate readings from the easy-to-read chart printed directly on the VENTI-COMP unit
- Single-patient use of VENTI-COMP eliminates possibility of cross-contamination
- Individually packaged 50 to a case



Aerosol Drainage Systems

Cat. No. 1740

- Disposable drainage bag with tee adaptor accepts standard 22mm I.D. corrugated tubing
- 750cc bag capacity
- Self-locking plastic chain secures bag to a stable object
- Convenient drainage port
- Individually packaged 50 to a case



Cat. No. 1742

- Disposable drainage bag with wye adaptor which accepts standard 22mm I.D. corrugated tubing
- 750cc bag capacity
- Self-locking plastic chain secures bag to a stable object
- Convenient drainage port
- Individually packaged 50 to a case